

UPDATING SQL DATABASES VERSION 12.0.0**Notes before beginning the updating process:**

- Ensure **ALL** users are out of the system.
- You **MUST** be on version 4.3.8 or higher.
- If running an **earlier** version, contact Technical Support.
- Query Run Times vary based on size of database, please allow for adequate run times and server resources.

Currently Running: Version 4.3.8 or higher

Perform the following steps for each database in COATSSQL (current and archived)

VERSION Table of Contents REVIEW

Users should locate the version they are updating from, the below will give the user the starting point and continue with Queries until the end of the document.

Version 4.6.0 released queries	2
Version 4.6.4 released queries	9
Version 4.6.5 released queries	13
Version 4.6.8 released queries	15
Version 4.7.0 released queries	16
Version 4.7.4 released queries	20
Version 4.8.0 released queries	25
Version 5.0.0 released queries	26
Version 6.0.0 released queries	29
Version 6.0.1 released queries	31
Version 6.0.4 released queries	31
Version 6.1.1 released queries	33
Version 6.1.2 released queries	34
Version 6.1.3 released queries	34
Version 6.1.4 released queries	34
Version 6.1.7 released queries	34
Version 7.0.0 released queries	35
Version 7.0.9 released queries	35
Version 7.1.0 released queries	35
Version 7.1.4 released queries	35
Version 7.2.0 released queries	35
Version 7.8.0 released queries	36
Version 7.11.0 released queries	36
Version 7.11.2 released queries	37
Version 7.11.3 released queries	37
Version 7.11.4 released queries	37
Version 7.11.5 released queries	38
Version 7.15.0 released queries	38
Version 7.15.5 released queries	39
Version 8.0.0 released queries	41
Version 8.1.0 released queries	41
Version 8.2.0 released queries	42
Version 8.3.0 released queries	42
Version 8.4.0 released queries	43
Version 9.0.0 released queries	44
Version 9.0.1 released queries	44
Version 10.0.0 released queries	44
Version 10.5.0 released queries	44
Version 11.0.0 released queries	44
Version 12.0.0 released queries	44

Version 4.6.0 released queries

Users will start here if they are starting at 4.3.8 version.

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **A_group_438_452.sql** then click open. (7/15/14)
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **B_add_hc_emp.sql** then click open. (9/19/13)
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'There is already an object named 'hc_emp' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**.
29. Click **C_add_hc_notes.sql** then click open.(9/19/13)
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.

31. Click **Execute**.
32. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'hc_notes' in the database.*' is received, the table already exists. Other errors will follow this message. Continue to next step.
33. Click **File**.
34. Click **Open**.
35. Click **File**.
36. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
37. Double click the folder **Run in query analyzer_9_0_0**.
38. Double click the folder **from_438_to_820**.
39. Click **D_add_hccontac.sql** then click open.(9/19/13)
40. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
41. Click **Execute**.
42. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'hccontac' in the database.*' is received, the table already exists. Other errors will follow this message. Continue to next step.
43. Click **File**.
44. Click **Open**.
45. Click **File**.
46. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
47. Double click the folder **Run in query analyzer_9_0_0**.
48. Double click the folder **from_438_to_820**.
49. Click **E_inserts_hc_notes.sql** then click open.(8/13/13)
50. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
51. Click **Execute**.
52. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*Violation of PRIMARY KEY constraint 'PK_hc_notes'. Cannot insert duplicate key in object 'dbo.hc_notes'. The duplicate key value is (1). The statement has been terminated.*' is received, the note options already exists. Continue to next step.
53. Click **File**.
54. Click **Open**.
55. Click **File**.
56. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
57. Double click the folder **Run in query analyzer_9_0_0**.
58. Double click the folder **from_438_to_820**.
59. Click **F_create_emp_stock.sql** then click open.(12/23/13)

60. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
61. Click **Execute**.
62. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'emp_stock' in the database.*' is received, the table already exists.
Continue to next step.
63. Click **File**.
64. Click **Open**.
65. Click **File**.
66. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
67. Double click the folder **Run in query analyzer_9_0_0**.
68. Double click the folder **from_438_to_820**.
69. Click **G_ap_aged_indexes.sql** then click open.(6/11/14)
70. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
71. Click **Execute**.
Index Queries run times may vary based on size of data.
72. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
73. Click **File**.
74. Click **Open**.
75. Click **File**.
76. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
77. Double click the folder **Run in query analyzer_9_0_0**.
78. Double click the folder **from_438_to_820**.
79. Click **H_index_ap1099list.sql** then click open.(6/11/14)
80. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
81. Click **Execute**.
Index Queries run times may vary based on size of data.
82. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
83. Click **File**.
84. Click **Open**.
85. Click **File**.
86. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
87. Double click the folder **Run in query analyzer_9_0_0**.
88. Double click the folder **from_438_to_820**.
89. Click **I_index_clientHist.sql** then click open.(6/11/14)

90. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
91. Click **Execute**.
Index Queries run times may vary based on size of data.
92. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
93. Click **File**.
94. Click **Open**.
95. Click **File**.
96. Navigate to your system folder (i.e. *c:\program files\coats\coats2000*).
97. Double click the folder **Run in query analyzer_9_0_0**.
98. Double click the folder **from_438_to_820**.
99. Click **J_GMGPindex.sql** then click open.(6/11/14)
100. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
101. Click **Execute**.
Index Queries run times may vary based on size of data.
102. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
103. Click **File**.
104. Click **Open**.
105. Click **File**.
106. Navigate to your system folder (i.e. *c:\program files\coats\coats2000*).
107. Double click the folder **Run in query analyzer_9_0_0**.
108. Double click the folder **from_438_to_820**.
109. Click **K_index_attritionsubs.sql** then click open.(6/11/14)
110. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
111. Click **Execute**.
Index Queries run times may vary based on size of data.
112. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
113. Click **File**.
114. Click **Open**.
115. Click **File**.
116. Navigate to your system folder (i.e. *c:\program files\coats\coats2000*).
117. Double click the folder **Run in query analyzer_9_0_0**.
118. Double click the folder **from_438_to_820**.
119. Click **L_update_emrg_tele.sql** then click open.(6/13/14)

120. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
121. Click **Execute**.
122. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
123. Click **File**.
124. Click **Open**.
125. Click **File**.
126. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
127. Double click the folder **Run in query analyzer_9_0_0**.
128. Double click the folder **from_438_to_820**.
129. Click **M_index_hc_censusus.sql** then click open.(6/20/14)
130. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
131. Click **Execute**.
Index Queries run times may vary based on size of data.
132. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*The operation failed because an index or statistics with the name 'hc_census1' already exists on table 'dbo.trasactions_split'.*' is received, the index already exists. Continue to next step.
133. Click **File**.
134. Click **Open**.
135. Click **File**.
136. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
137. Double click the folder **Run in query analyzer_9_0_0**.
138. Double click the folder **from_438_to_820**.
139. Click **N_index_bis.sql** then click open.(6/27/14)
140. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
141. Click **Execute**.
Index Queries run times may vary based on size of data.
142. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*The operation failed because an index or statistics with the name 'breakinservice' already exists on table 'dbo.trasactions_split'.*' is received, the index already exists. Continue to next step.
143. Click **File**.
144. Click **Open**.
145. Click **File**.
146. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
147. Double click the folder **Run in query analyzer_9_0_0**.
148. Double click the folder **from_438_to_820**.

149. Click **O_aca_plans.sql** then click open.(7/8/14)
150. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
151. Click **Execute**.
152. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'aca_plans' in the database.*' is received, the table already exists.
Other errors will follow this message. Continue to next step.
153. Click **File**.
154. Click **Open**.
155. Click **File**.
156. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
157. Double click the folder **Run in query analyzer_9_0_0**.
158. Double click the folder **from_438_to_820**.
159. Click **P_aca_depen.sql** then click open.(6/16/14)
160. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
161. Click **Execute**.
162. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'aca_depen' in the database.*' is received, the table already exists.
Other errors will follow this message. Continue to next step.
163. Click **File**.
164. Click **Open**.
165. Click **File**.
166. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
167. Double click the folder **Run in query analyzer_9_0_0**.
168. Double click the folder **from_438_to_820**.
169. Click **Q_aca_prefs.sql** then click open. (6/16/14)
170. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
171. Click **Execute**.
172. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'aca_prefs' in the database.*' is received, the table already exists.
Continue to next step.
173. Click **File**.
174. Click **Open**.
175. Click **File**.
176. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
177. Double click the folder **Run in query analyzer_9_0_0**.

178. Double click the folder **from_438_to_820**.
179. Click **R_hccensus.sql** then click open.(7/28/14)
180. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
181. Click **Execute**.
182. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
183. Click **File**.
184. Click **Open**.
185. Click **File**.
186. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
187. Double click the folder **Run in query analyzer_9_0_0**.
188. Double click the folder **from_438_to_820**.
189. Click **S_Update_reportmr.sql** then click open.(6/20/14)
190. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
191. Click **Execute**.
192. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
193. Click **File**.
194. Click **Open**.
195. Click **File**.
196. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
197. Double click the folder **Run in query analyzer_9_0_0**.
198. Double click the folder **from_438_to_820**.
199. Click **T_confirmation_sps.sql** then click open.(7/2/14)
200. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
201. Click **Execute**.
202. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
203. Click **File**.
204. Click **Open**.
205. Click **File**.
206. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
207. Double click the folder **Run in query analyzer_9_0_0**.
208. Double click the folder **from_438_to_820**.
209. Click **U_jobord_sp.sql** then click open.(7/17/14)

210. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
211. Click **Execute**.
212. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 4.6.4 released queries

If users are on version 4.6.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **A_group_438_452.sql** then click open. (10/22/14)
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **S_Update_reportmr.sql** then click open.(10/24/14)
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
27. Double click the folder **Run in query analyzer_9_0_0**.

28. Double click the folder **from_438_to_820**.
29. Click **T_confirmation_sps.sql** then click open.(10/22/14)
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
33. Click **File**.
34. Click **Open**.
35. Click **File**.
36. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
37. Double click the folder **Run in query analyzer_9_0_0**.
38. Double click the folder **from_438_to_820**.
39. Click **V_add_emp_data.sql** then click open.(9/16/14)
40. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
41. Click **Execute**.
42. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'add_emp_data' in the database.*' is received, the table already exists. Other errors will follow this message. Continue to next step.
43. Click **File**.
44. Click **Open**.
45. Click **File**.
46. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
47. Double click the folder **Run in query analyzer_9_0_0**.
48. Double click the folder **from_438_to_820**.
49. Click **W_add_deduct_data.sql** then click open.(9/16/14)
50. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
51. Click **Execute**.
52. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'add_deduct_data' in the database.*' is received, the table already exists. Other errors will follow this message. Continue to next step.
53. Click **File**.
54. Click **Open**.
55. Click **File**.
56. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
57. Double click the folder **Run in query analyzer_9_0_0**.

58. Double click the folder **from_438_to_820**.
59. Click ***X_Function_isinvoice.sql*** then click open.(10/10/14)
60. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
61. Click **Execute**.
62. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
63. Click **File**.
64. Click **Open**.
65. Click **File**.
66. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
67. Double click the folder **Run in query analyzer_9_0_0**.
68. Double click the folder **from_438_to_820**.
69. Click ***Y_SPS_Invoice_Availability.sql*** then click open.(10/22/14)
70. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
71. Click **Execute**.
72. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
73. Click **File**.
74. Click **Open**.
75. Click **File**.
76. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
77. Double click the folder **Run in query analyzer_9_0_0**.
78. Double click the folder **from_438_to_820**.
79. Click ***Z_Transcode_ACA.sql*** then click open.(10/22/14)
80. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
81. Click **Execute**.
82. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
83. Click **File**.
84. Click **Open**.
85. Click **File**.
86. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
87. Double click the folder **Run in query analyzer_9_0_0**.
88. Double click the folder **from_438_to_820**.
89. Click ***ZA_ACA_indicators.sql*** then click open.(10/8/14)

90. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
91. Click **Execute**.
92. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'ACA_Indicator_codes' in the database.*' is received, the table already exists. Other errors will follow this message. Continue to next step.
93. Click **File**.
94. Click **Open**.
95. Click **File**.
96. Navigate to your system folder (i.e. *c:\program files\coats\coats2000*).
97. Double click the folder **Run in query analyzer_9_0_0**.
98. Double click the folder **from_438_to_820**.
99. Click **ZB_alter_aca_depen.sql** then click open.(10/9/14)
100. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
101. Click **Execute**.
102. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*Column names in each table must be unique. Column name 'ssn' in table 'aca_depen' is specified more than once*' is received, the table has already been altered. Other errors will follow this message. Continue to next step.
103. Click **File**.
104. Click **Open**.
105. Click **File**.
106. Navigate to your system folder (i.e. *c:\program files\coats\coats2000*).
107. Double click the folder **Run in query analyzer_9_0_0**.
108. Double click the folder **from_438_to_820**.
109. Click **ZC_indicator_inserts.sql** then click open.(10/24/14)
110. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
111. Click **Execute**.
112. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
113. Click **File**.
114. Click **Open**.
115. Click **File**.
116. Navigate to your system folder (i.e. *c:\program files\coats\coats2000*).
117. Double click the folder **Run in query analyzer_9_0_0**.
118. Double click the folder **from_438_to_820**.

119. Click **ZD_ded_enrolled_SP.sql** then click open.(10/20/14)
120. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
121. Click **Execute**.
122. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 4.6.5 released queries

If users are on version 4.6.4 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **R_hccensus.sql** then click open.(12/22/15)
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **S_Update_reportmr.sql** then click open.(12/19/14)
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (i.e. c:\program files\coats\coats2000).

27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**.
29. Click **ZE_inserts_add_clientPDF_info.sql** then click open.(12/7/14)
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
33. Click **File**.
34. Click **Open**.
35. Click **File**.
36. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
37. Double click the folder **Run in query analyzer_9_0_0**.
38. Double click the folder **from_438_to_820**.
39. Click **ZF_create_es_contr.sql** then click open.(12/12/14)
40. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
If '*There is already an object named 'es_cont' in the database.*' is received, the table already exists. Other errors will follow this message. Continue to next step.
41. Click **Execute**.
42. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
43. Click **File**.
44. Click **Open**.
45. Click **File**.
46. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
47. Double click the folder **Run in query analyzer_9_0_0**.
48. Double click the folder **from_438_to_820**.
49. Click **ZG_sp_callback_cal.sql** then click open.(12/16/14)
50. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
51. Click **Execute**.
52. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
53. Click **File**.
54. Click **Open**.
55. Click **File**.
56. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
57. Double click the folder **Run in query analyzer_9_0_0**.

58. Double click the folder **from_438_to_820**.
59. Click **ZH_sp_lastempl.sql** then click open.(12/21/14)
60. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
61. Click **Execute**.
62. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
63. Click **File**.
64. Click **Open**.
65. Click **File**.
66. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
67. Double click the folder **Run in query analyzer_9_0_0**.
68. Double click the folder **from_438_to_820**.
69. Click **ZI_report_emp1a.sql** then click open. (12/22/14)
70. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
71. Click **Execute**.
72. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 4.6.8 released queries

If users are on version 4.6.5 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **ZD_ded_enrolled_SP.sql** then click open.(1/7/15)
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.

16. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **ZI_sales_tax_view.sql** then click open.(1/8/15)
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 4.7.0 released queries

If users are on version 4.6.8 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **R_hccensus.sql** then click open.(1/11/15)
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **S_Update_reportmr.sql** then click open.(3/10/15)
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
23. Click **File**.

24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (*i.e.* `c:\program files\coats\coats2000`).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**.
29. Click **Y_SPS_Invoice_Availability.sql** then click open.(1/13/15)
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
33. Click **File**.
34. Click **Open**.
35. Click **File**.
36. Navigate to your system folder (*i.e.* `c:\program files\coats\coats2000`).
37. Double click the folder **Run in query analyzer_9_0_0**.
38. Double click the folder **from_438_to_820**.
39. Click **ZJ_sales_tax_view.sql** then click open.(3/11/15)
40. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
41. Click **Execute**.
42. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
43. Click **File**.
44. Click **Open**.
45. Click **File**.
46. Navigate to your system folder (*i.e.* `c:\program files\coats\coats2000`).
47. Double click the folder **Run in query analyzer_9_0_0**.
48. Double click the folder **from_438_to_820**.
49. Click **ZK_Payroll_dd.sql** then click open.(2/11/15)
50. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
51. Click **Execute**.
52. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
53. Click **File**.
54. Click **Open**.
55. Click **File**.
56. Navigate to your system folder (*i.e.* `c:\program files\coats\coats2000`).

57. Double click the folder **Run in query analyzer_9_0_0**.
58. Double click the folder **from_438_to_820**.
59. Click **ZL_directdeposit_index.sql** then click open.(2/10/15)
60. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
61. Click **Execute**.
Index Queries run times may vary based on size of data.
62. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'The operation failed because an index or statistics with name 'DirectDepositCreator' already exists on table 'dbo.transactions_split' ' is received, the table already exists. Other errors will follow this message. Continue to next step
63. Click **File**.
64. Click **Open**.
65. Click **File**.
66. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
67. Double click the folder **Run in query analyzer_9_0_0**.
68. Double click the folder **from_438_to_820**.
69. Click **ZM_psd_branch.sql** then click open.(2/10/15)
70. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
71. Click **Execute**.
72. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'There is already an object named 'psd_branch' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step
73. Click **File**.
74. Click **Open**.
75. Click **File**.
76. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
77. Double click the folder **Run in query analyzer_9_0_0**.
78. Double click the folder **from_438_to_820**.
79. Click **ZN_psd_master.sql** then click open.(2/10/15)
80. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
81. Click **Execute**.
82. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'There is already an object named 'psd_master' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step
83. Click **File**.

84. Click **Open**.
85. Click **File**.
86. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
87. Double click the folder **Run in query analyzer_9_0_0**.
88. Double click the folder **from_438_to_820**.
89. Click **ZO_psd_maser_insert.sql** then click open.(2/9/15)
90. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
91. Click **Execute**.
92. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'Violation of PRIMARY KEY constraint 'PK_PSD_master'. Cannot insert duplicate key in object 'dbo.psd_master'. The statement has been terminated.' is received, the note options already exists.
Continue to next step.
93. Click **File**.
94. Click **Open**.
95. Click **File**.
96. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
97. Double click the folder **Run in query analyzer_9_0_0**.
98. Double click the folder **from_438_to_820**.
99. Click **ZP_resume_tables.sql** then click open.(4/13/15)
100. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
101. Click **Execute**.
102. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'There is already an object named 'ResSrcFilter ' in the database.' is received, the table already exists.
Other errors will follow this message. Continue to next step
103. Click **File**.
104. Click **Open**.
105. Click **File**.
106. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
107. Double click the folder **Run in query analyzer_9_0_0**.
108. Double click the folder **from_438_to_820**.
109. Click **ZQ_Invoice_regPay_SP.sql** then click open.(3/12/15)
110. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
111. Click **Execute**.
112. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 4.7.4 released queries

If users are on version 4.7.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **ZR_add_vs_aca1094c.sql** then click open.(10/10/15)
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'vs_aca1094c' in the database.*' is received, the table already exists.
Other errors will follow this message
Run **ZZL_Alter_1095C.sql** before continuing to the next step
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **ZS_add_vs_aca1095c.sql** then click open.(9/4/15)
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'vs_aca1095c' in the database.*' is received, the table already exists.
Other errors will follow this message.
Run **ZZL_Alter_1095C.sql** before continuing to the next step
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**.

29. Click **ZT_alter_aca_depen.sql** then click open.(9/8/15)
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'Column names in each table must be unique. Column name 'fname' in table 'aca_depen' is specified more than once.' is received, the table has already been altered. Other errors will follow this message. Continue to next step
33. Click **File**.
34. Click **Open**.
35. Click **File**.
36. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
37. Double click the folder **Run in query analyzer_9_0_0**.
38. Double click the folder **from_438_to_820**.
39. Click **ZU_alter_aca_plan.sql** then click open.(8/6/15)
40. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
41. Click **Execute**.
42. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'Column names in each table must be unique. Column name 'code2' in table 'aca_plans' is specified more than once.' is received, the table has already been altered. Other errors will follow this message. Continue to next step
43. Click **File**.
44. Click **Open**.
45. Click **File**.
46. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
47. Double click the folder **Run in query analyzer_9_0_0**.
48. Double click the folder **from_438_to_820**.
49. Click **ZV_Calculator_index.sql** then click open.(9/26/15)
50. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
51. Click **Execute**.
Index Queries run times may vary based on size of data.
52. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'The operation failed because an index or statistics with name 'sikkvacalc' already exists on table 'dbo.transactions_split' ' is received, the table already exists. Other errors will follow this message. Continue to next step
53. Click **File**.
54. Click **Open**.

55. Click **File**.
56. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
57. Double click the folder **Run in query analyzer_9_0_0**.
58. Double click the folder **from_438_to_820**.
59. Click **ZW_Client_empl.sql** then click open.(5/27/15)
60. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
61. Click **Execute**.
62. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
63. Click **File**.
64. Click **Open**.
65. Click **File**.
66. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
67. Double click the folder **Run in query analyzer_9_0_0**.
68. Double click the folder **from_438_to_820**.
69. Click **ZX_index.sql** then click open.(7/13/15)
70. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
71. Click **Execute**.
Index Queries run times may vary based on size of data.
72. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'The operation failed because an index or statistics with name 'figvaca' already exists on table 'dbo.transactions_split'' is received, the table already exists. Other errors will follow this message.
Continue to next step
73. Click **File**.
74. Click **Open**.
75. Click **File**.
76. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
77. Double click the folder **Run in query analyzer_9_0_0**.
78. Double click the folder **from_438_to_820**.
79. Click **ZY_invoice_register_view.sql** then click open.(7/15/15)
80. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
81. Click **Execute**.
82. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
83. Click **File**.
84. Click **Open**.

85. Click **File**.
86. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
87. Double click the folder **Run in query analyzer_9_0_0**.
88. Double click the folder **from_438_to_820**.
89. Click **ZZ_jobordstat_sp.sql** then click open.(7/27/15)
90. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
91. Click **Execute**.
92. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
93. Click **File**.
94. Click **Open**.
95. Click **File**.
96. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
97. Double click the folder **Run in query analyzer_9_0_0**.
98. Double click the folder **from_438_to_820**.
99. Click **ZZA_payroll_check_sp.sql** then click open.(7/16/15)
100. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
101. Click **Execute**.
102. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
103. Click **File**.
104. Click **Open**.
105. Click **File**.
106. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
107. Double click the folder **Run in query analyzer_9_0_0**.
108. Double click the folder **from_438_to_820**.
109. Click **ZZB_payroll_deduction_ap_sp.sql** then click open. (10/01/15)
110. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
111. Click **Execute**.
112. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
113. Click **File**.
114. Click **Open**.
115. Click **File**.
116. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
117. Double click the folder **Run in query analyzer_9_0_0**.

118. Double click the folder **from_438_to_820**.
119. Click **ZZC_qualifying_trans_sp.sql** then click open.(7/29/15)
120. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
121. Click **Execute**.
122. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
123. Click **File**.
124. Click **Open**.
125. Click **File**.
126. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
127. Double click the folder **Run in query analyzer_9_0_0**.
128. Double click the folder **from_438_to_820**.
129. Click **ZZD_vs_alemember.sql** then click open. (8/28/15)
130. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
131. Click **Execute**.
132. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
If '*There is already an object named 'vs_alemember' in the database.*' is received, the table already exists. Other errors will follow this message. Continue to next step.
133. Click **File**.
134. Click **Open**.
135. Click **File**.
136. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
137. Double click the folder **Run in query analyzer_9_0_0**.
138. Double click the folder **from_438_to_820**.
139. Click **ZZE_worksites_update.sql** then click open.(8/14/15)
140. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
141. Click **Execute**.
142. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
143. Click **File**.
144. Click **Open**.
145. Click **File**.
146. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
147. Double click the folder **Run in query analyzer_9_0_0**.
148. Double click the folder **from_438_to_820**.

149. Click **ZZF_jo_delete_trigger.sql** then click open.(10/16/15)
150. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
151. Click **Execute**.
152. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
153. Click **File**.
154. Click **Open**.
155. Click **File**.
156. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
157. Double click the folder **Run in query analyzer_9_0_0**.
158. Double click the folder **from_438_to_820**.
159. Click **ZZG_jo_insert_trigger.sql** then click open.(10/6/15)
160. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
161. Click **Execute**.
162. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
163. Click **File**.
164. Click **Open**.
165. Click **File**.
166. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
167. Double click the folder **Run in query analyzer_9_0_0**.
168. Double click the folder **from_438_to_820**.
169. Click **ZZH_update_add_jo_info.sql** then click open.(10/6/15)
170. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
171. Click **Execute**.
172. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 4.8.0 released queries

If users are on version 4.7.4 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (i.e. c:\program files\coats\coats2000).

7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **ZC_indicator_inserts.sql** then click open.(12/21/15)
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **ZZI_alter_sov_education_parsing.sql** then click open.(11/28/15)
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'Column names in each table must be unique. Column name 'educulist' in table 'sov_contact' is specified more than once.' is received, the column already exists. Other errors will follow this message. Continue to next step.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**.
29. Click **ZZJ_update_education_parsing.sql** then click open.(11/28/15)
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 5.0.0 released queries

If users are on version 4.8.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.

3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **ZZM_report_payroll_one_employe_checks_sp.sql** then click open.(4/11/16)
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **ZZN_update_invoice_view_sp.sql** then click open.(3/16/16)
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**.
29. Click **ZZO_alter_aca_plan2.sql** then click open.(3/7/16)
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'Column names in each table must be unique. Column name 'default' in table 'dbo.aca_plans' is specified more than once.' is received, the column already exists. Other errors will follow this message. Continue to next step
33. Click **File**.

34. Click **Open**.
35. Click **File**.
36. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
37. Double click the folder **Run in query analyzer_9_0_0**.
38. Double click the folder **from_438_to_820**.
39. Click **ZZP_alter_aca_depen2.sql** then click open.(3/14/16)
40. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
41. Click **Execute**.
42. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'Column names in each table must be unique. Column name 'startdate' in table 'aca_depen' is specified more than once.' is received, the column already exists. Other errors will follow this message. Continue to next step.
43. Click **File**.
44. Click **Open**.
45. Click **File**.
46. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
47. Double click the folder **Run in query analyzer_9_0_0**.
48. Double click the folder **from_438_to_820**.
49. Click **ZZQ_update_vs_aca1095c2.sql** then click open.(3/14/16)
50. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
51. Click **Execute**.
52. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'Column names in each table must be unique. Column name 'd1_1' in table 'vs_aca1095c' is specified more than once.' is received, the column already exists. Other errors will follow this message. Continue to next step.
53. Click **File**.
54. Click **Open**.
55. Click **File**.
56. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
57. Double click the folder **Run in query analyzer_9_0_0**.
58. Double click the folder **from_438_to_820**.
59. Click **ZZR_update_contacts.sql** then click open.(2/29/16)
60. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
61. Click **Execute**.
62. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

63. Click **File**.
64. Click **Open**.
65. Click **File**.
66. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
67. Double click the folder **Run in query analyzer_9_0_0**.
68. Double click the folder **from_438_to_820**.
69. Click **ZZS_create_vs_1095c_add.sql** then click open.(3/14/16)
70. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
71. Click **Execute**.
72. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
If 'There is already an object named 'vs_1095c_add' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

Version 6.0.0 released queries

If users are on version 5.0.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **ZC_indicator_inserts.sql** then click open.(12/15/16)
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **ZH_sp_lastempl.sql** then click open.(12/29/16)
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.

21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**.
29. Click **ZZT_update_prdeduct_apname.sql** then click open.(8/29/16)
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
33. Click **File**.
34. Click **Open**.
35. Click **File**.
36. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
37. Double click the folder **Run in query analyzer_9_0_0**.
38. Double click the folder **from_438_to_820**.
39. Click **ZZU_joborder_rpt_sp.sql** then click open.(12/29/16)
40. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
41. Click **Execute**.
42. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
43. Click **File**.
44. Click **Open**.
45. Click **File**.
46. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
47. Double click the folder **Run in query analyzer_9_0_0**.
48. Double click the folder **from_438_to_820**.
49. Click **ZZV_assgend_sp_update.sql** then click open.(7/17/16)
50. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
51. Click **Execute**.
52. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 6.0.1 released queries

If users are on version 6.0.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **ZZW_Fed941byyear_stock_sp.sql** then click open.(1/24/17)
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box. Click **File**.
13. Click **Open**.
14. Click **File**.
15. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
16. Double click the folder **Run in query analyzer_9_0_0**.
17. Double click the folder **from_438_to_820**.
18. Click **ZZX_Updated_Aged_SP.sql** then click open.(3/10/17)
19. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
20. Click **Execute**.
21. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 6.0.4 released queries

If users are on version 6.0.1 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **ZZY_SP_emp_pay_history.sql** then click open.(6/22/17)

10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **ZZZ_SP_Emp_Pay_history_ytd.sql** then click open.(6/22/17)
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**.
29. Click **ZZZA_SP_payroll_check.sql** then click open.(6/22/17)
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
33. Click **File**.
34. Click **Open**.
35. Click **File**.
36. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
37. Double click the folder **Run in query analyzer_9_0_0**.
38. Double click the folder **from_438_to_820**.
39. Click **ZZZB_Fed941byyear_sp.sql** then click open.(6/22/17)
40. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
41. Click **Execute**.

42. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 6.1.1 released queries

If users are on version 6.0.4 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**
9. Click **ZW_Client_empl.sql** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**
19. Click **ZZZB_Fed941byyear_sp.sql** then click open.
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**
29. Click **ZZZC_SP_online_emp.sql** then click open.

30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 6.1.2 released queries

There are NO queries to run if you currently are running 6.1.2 from 1/22/2018.

Version 6.1.3 released queries

There are NO queries to run if you currently are running 6.1.3 from 3/07/2018.

Version 6.1.4 released queries

There are NO queries to run if you currently are running 6.1.4 from 3/20/2018.

Version 6.1.7 released queries

If users are on version 6.1.4 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**
9. Click **S_Update_reportmr.sql** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**
19. Click **ZZZD_update_Employee_Birthday_Labels.sql** then click open.
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.

22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**
29. Click **ZZZE_Update_mail_employee_view.sql** then click open.
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
33. Click **File**.
34. Click **Open**.
35. Click **File**.
36. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
37. Double click the folder **Run in query analyzer_9_0_0**.
38. Double click the folder **from_438_to_820**
39. Click **ZZZF_weeklytimesheet.sql** then click open.
40. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
41. Click **Execute**.
42. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 7.0.0 released queries

There are NO queries to run if you currently are running 6.1.7 from 11/02/2018.

Version 7.0.9 released queries

There are NO queries to run if you currently are running 7.0.0 from 12/27/2018.

Version 7.1.0 released queries

There are NO queries to run if you currently are running 7.0.9 from 03/01/2019

Version 7.1.4 released queries

There are NO queries to run if you currently are running 7.1.0 from 03/25/2019

Version 7.2.0 released queries

There are NO queries to run if you currently are running 7.1.4 from 04/46/2019

Version 7.8.0 released queries

If users are on version 7.2.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**
9. Click ***S_Update_reportmr.sql*** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 7.11.0 released queries

If users are on version 7.8.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**
9. Click ***ZZZG_update_prdedtxt.sql*** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**

19. Click **ZZZH_create_empfedw4.sql** then click open.
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 7.11.2 released queries

There are NO queries to run if you currently are running 7.11.0 from 12/27/2019

Version 7.11.3 released queries

If users are on version 7.11.2 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**
9. Click **ZW_Client_empl.sql** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 7.11.4 released queries

If users are on version 7.11.3 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**
9. Click **S_Update_reportmr.sql** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.

12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**
19. Click **ZW_Client_empl.sql** then click open.
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 7.11.5 released queries

There are NO queries to run if you currently are running 7.11.4 from 01/31/2020

Version 7.15.0 released queries

If users are on version 7.11.5 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**
9. Click **S_Update_reportmr.sql** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**

19. Click **ZZZH_Create_f941table.sql** then click open.
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**
29. Click **ZZZI_insert_f941table.sql** then click open.
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.
32. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 7.15.5 released queries

If users are on version 7.15.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**
9. Click **S_Update_reportmr.sql** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (i.e. c:\program files\coats\coats2000).

17. Double click the folder **Run in query analyzer_7_15_5**.
18. Click ***sp_delete_cur_ck_all_dc.sql*** then click open.
19. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
20. Click **Execute**.
21. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
22. Click **File**.
23. Click **Open**.
24. Click **File**.
25. Navigate to your system folder (i.e. *c:\program files\coats\coats2000*).
26. Double click the folder **Run in query analyzer_7_15_5**.
27. Click ***sp_delete_cur_ck_dc.sql*** then click open.
28. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
29. Click **Execute**.
30. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
31. Click **File**.
32. Click **Open**.
33. Click **File**.
34. Navigate to your system folder (i.e. *c:\program files\coats\coats2000*).
35. Double click the folder **Run in query analyzer_9_0_0**.
36. Double click the folder **from_438_to_820**
37. Click ***ZZZC_SP_online_emp.sql*** then click open.
38. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
39. Click **Execute**.
40. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
41. Click **File**.
42. Click **Open**.
43. Click **File**.
44. Navigate to your system folder (i.e. *c:\program files\coats\coats2000*).
45. Double click the folder **Run in query analyzer_7_15_5**.
46. Click ***ZZZH_Create_f941table.sql*** then click open.
47. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
48. Click **Execute**.

49. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
50. Click **File**.
51. Click **Open**.
52. Click **File**.
53. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
54. Double click the folder **Run in query analyzer_7_15_5**.
55. Click **ZZZJ_insert_f941table.sql** then click open.
56. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
57. Click **Execute**.
58. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 8.0.0 released queries

If users are on version 7.15.5 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **ZZZB_Fed941byyear_sp.sql** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 8.1.0 released queries

If users are on version 8.0.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.

8. Double click the folder **from_438_to_820**.
9. Click **S_Update_reportmr.sql** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 8.2.0 released queries

If users are on version 8.1.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click **ZC_indicator_inserts.sql** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click **ZZH_state_tax_formula_AR.sql** then click open.
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 8.3.0 released queries

There are NO queries to run if you currently are running 8.2.0 from 02/21/2021

Version 8.4.0 released queries

If users are on version 8.2.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Double click the folder **from_438_to_820**.
9. Click ***S_Update_reportmr.sql*** then click open.
10. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
11. Click **Execute**.
12. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
13. Click **File**.
14. Click **Open**.
15. Click **File**.
16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
17. Double click the folder **Run in query analyzer_9_0_0**.
18. Double click the folder **from_438_to_820**.
19. Click ***ZW_Client_empl.sql*** then click open.
20. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
21. Click **Execute**.
22. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.
23. Click **File**.
24. Click **Open**.
25. Click **File**.
26. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
27. Double click the folder **Run in query analyzer_9_0_0**.
28. Double click the folder **from_438_to_820**.
29. Click ***ZZZH_State_tax_formula.sql*** then click open.
30. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
31. Click **Execute**.

32. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 9.0.0 released queries

If users are on version 8.4.0 they can start here

1. From the SQL server, open **Microsoft SQL Server Management Studio**.
2. Log into Server Instance.
3. Click **File**.
4. Click **Open**.
5. Click **File**.
6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
7. Double click the folder **Run in query analyzer_9_0_0**.
8. Click **ZZZI_local_struct_adj.sql** then click open.
9. Change the default database showing at the top of the screen from **master** to **coats2000** by clicking on the down arrow and selecting **coats2000**.
10. Click **Execute**.
11. You should see '*Command(s) completed successfully.*' and/or '*(X row(s) affected)*' show up in the message box.

Version 9.0.1 released queries

There are NO queries to run if you currently are running 9.0.0

Version 10.0.0 released queries

There are NO queries to run if you currently are running 9.0.1

Version 10.5.0 released queries

There are NO queries to run if you currently are running 10.0.0

Version 11.0.0 released queries

There are NO queries to run if you currently are running 10.5.0

Version 12.0.0 released queries

There are NO queries to run if you currently are running 11.0.0

12. If the agency has multiple instances disconnect from the current instance and connect to the next instance. Repeat above procedures.
13. After all instances have been updated, 'X' out SQL Server Management Studio

Be SURE to UPDATE the Application on
ALL COMPUTERS running COATS LOCALLY before logging into COATS
