SQL Server 2014 or Higher

Rev. April. 2024

UPDATING SQL DATABASES VERSION 15.0.1

Notes before beginning the updating process:

- Ensure <u>ALL</u> users are out of the system.
- You <u>MUST</u> be on version 4.3.8 or higher.
- If running an <u>earlier</u> version, contact Technical Support.
- Query Run Times vary based on size of database, please allow for adequate run times and server resources.

Currently Running: Version 4.3.8 or higher

Perform the following steps for each database in COATSSQL (current and archived)

VERSION Table of Contents REVIEW

Users should locate the version <u>they are updating from</u>, the below will give the user the starting point and continue with Queries until the end of the document.

***************************************	****
Version 4.6.0 released queries	
Version 4.6.4 released queries	
Version 4.6.5 released queries	
Version 4.6.8 released queries	
Version 4.7.0 released queries	
Version 4.7.4 released queries	19
Version 4.8.0 released queries	25
Version 5.0.0 released queries	26
Version 6.0.0 released gueries	29
Version 6.0.1 released queries	30
Version 6.0.4 released gueries	31
Version 6.1.1 released gueries	32
Version 6.1.2 released queries	33
Version 6.1.3 released queries	33
Version 6.1.4 released queries	33
Version 6.1.7 released queries	33
Version 7.0.0 released queries	35
Version 7.0.9 released queries	35
Version 7.1.0 released queries	35
Version 7.1.4 released queries	35
Version 7.2.0 released queries	35
Version 7.8.0 released queries	35
Version 7.11.0 released queries	36
Version 7.11.2 released queries	36
Version 7.11.3 released queries	36
Version 7.11.4 released queries	37
Version 7.11.5 released queries	37
Version 7.15.0 released queries	38
Version 7.15.5 released queries	39
Version 8.0.0 released queries	40
Version 8.1.0 released queries	41
Version 8.2.0 released queries	41
Version 8.3.0 released queries	42
Version 8.4.0 released queries	42
Version 9.0.0 released queries	43
Version 9.0.1 released queries	43
Version 10.0.0 released queries	44
Version 10.5.0 released queries	44
Version 11.0.0 released queries	44
Version 12.0.0 released queries	44
Version 12.5.0 released queries	44

Version 13.0.0 released queries	44
Version 13.5.0 released queries	44
Version 14.0.0 released queries	45
Version 15.0.0 released queries	45
Version 15.0.1 released queries	45

Version 4.6.0 released queries

Users will start here if they are starting at 4.3.8 version.

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click **A_group_438_452.sql** then click open. (7/15/14)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820.
- 19. Click **B_add_hc_emp.sql** then click open. (9/19/13)
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'There is already an object named 'hc_emp' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 27. Double click the folder **Run in query analyzer_9_0_0**.
- 28. Double click the folder from_438_to_820.

- 29. Click *C_add_hc_notes.sql* then click open.(9/19/13)
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.
- 32. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'There is already an object named 'hc_notes' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

- 33. Click File.
- 34. Click Open.
- 35. Click File.
- 36. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 37. Double click the folder **Run in query analyzer_9_0_0**.
- 38. Double click the folder from_438_to_820.
- 39. Click **D_add_hccontac.sql** then click open.(9/19/13)
- 40. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 41. Click Execute.
- 42. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'There is already an object named 'hccontac' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

- 43. Click File.
- 44. Click Open.
- 45. Click File.
- 46. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 47. Double click the folder **Run in query analyzer_9_0_0**.
- 48. Double click the folder **from_438_to_820**.
- 49. Click *E_inserts_hc_notes.sql* then click open.(8/13/13)
- 50. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 51. Click Execute.
- 52. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'Violation of PRIMARY KEY constraint 'PK_hc_notes'. Cannot insert duplicate key in object 'dbo.hc_notes'. The duplicate key value is (1). The statement has been terminated.' is received, the note options already exists. Continue to next step.

- 53. Click File.
- 54. Click Open.
- 55. Click File.
- 56. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 57. Double click the folder **Run in query analyzer_9_0_0**.

- 58. Double click the folder from_438_to_820.
- 59. Click *F_create_emp_stock.sql* then click open.(12/23/13)
- 60. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 61. Click Execute.
- 62. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'There is already an object named 'emp_stock' in the database.' is received, the table already exists. Continue to next step.

- 63. Click File.
- 64. Click Open.
- 65. Click File.
- 66. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 67. Double click the folder **Run in query analyzer_9_0_0**.
- 68. Double click the folder from_438_to_820.
- 69. Click *G_ap_aged_indexes.sql* then click open.(6/11/14)
- 70. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 71. Click **Execute**. Index Queries run times may vary based on size of data.
- 72. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 73. Click File.
- 74. Click Open.
- 75. Click File.
- 76. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 77. Double click the folder **Run in query analyzer_9_0_0**.
- 78. Double click the folder from_438_to_820.
- 79. Click H_index_ap1099list.sql then click open.(6/11/14)
- 80. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 81. Click Execute.

Index Queries run times may vary based on size of data.

- 82. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 83. Click File.
- 84. Click Open.
- 85. Click File.
- 86. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 87. Double click the folder **Run in query analyzer_9_0_0**.
- 88. Double click the folder from_438_to_820.

- 89. Click I_index_clientHist.sql then click open.(6/11/14)
- 90. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 91. Click **Execute**. Index Queries run times may vary based on size of data.
- 92. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 93. Click File.
- 94. Click Open.
- 95. Click File.
- 96. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 97. Double click the folder **Run in query analyzer_9_0_0**.
- 98. Double click the folder from_438_to_820.
- 99. Click J_GMGPindex.sql then click open.(6/11/14)
- 100. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 101. Click **Execute**. Index Queries run times may vary based on size of data.
- 102. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.
- 103. Click File.
- 104. Click Open.
- 105. Click File.
- 106. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 107. Double click the folder Run in query analyzer_9_0_0.
- 108. Double click the folder from_438_to_820.
- 109. Click *K_index_attritionsubs.sql* then click open.(6/11/14)
- 110. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 111. Click **Execute**. Index Queries run times may vary based on size of data.
- 112. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 113. Click File.
- 114. Click Open.
- 115. Click File.
- 116. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 117. Double click the folder **Run in query analyzer_9_0_0**.
- 118. Double click the folder from_438_to_820.
- 119. Click *L_update_emrg_tele.sql* then click open.(6/13/14)

- 120. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 121. Click Execute.
- 122. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 123. Click File.
- 124. Click Open.
- 125. Click File.
- 126. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 127. Double click the folder **Run in query analyzer_9_0_0**.
- 128. Double click the folder from_438_to_820.
- 129. Click M_index_hc_cenusus.sql then click open.(6/20/14)
- 130. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.

131. Click Execute.

Index Queries run times may vary based on size of data.

132. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'The operation failed because an idex or statistics with the name 'hc_census1' already exists on table 'dbo.trasactions_split'.' is received, the index already exists. Continue to next step.

- 133. Click File.
- 134. Click Open.
- 135. Click File.
- 136. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 137. Double click the folder Run in query analyzer_9_0_0.
- 138. Double click the folder from_438_to_820.
- 139. Click N_index_bis.sql then click open.(6/27/14)
- 140. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 141. Click **Execute**. Index Queries run times may vary based on size of data.
- 142. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'The operation failed because an idex or statistics with the name 'breakinservice' already exists on table 'dbo.trasactions_split'.' is received, the index already exists. Continue to next step.

- 143. Click File.
- 144. Click Open.
- 145. Click File.
- 146. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 147. Double click the folder Run in query analyzer_9_0_0.
- 148. Double click the folder from_438_to_820.

- 149. Click O_aca_plans.sql then click open.(7/8/14)
- 150. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 151. Click Execute.
- 152. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'There is already an object named 'aca_plans' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

- 153. Click File.
- 154. Click Open.
- 155. Click File.
- 156. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
- 157. Double click the folder Run in query analyzer_9_0_0.
- 158. Double click the folder from_438_to_820.
- 159. Click P_aca_depen.sql then click open.(6/16/14)
- 160. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 161. Click Execute.
- 162. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'There is already an object named 'aca_depen' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

- 163. Click File.
- 164. Click Open.
- 165. Click File.
- 166. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 167. Double click the folder Run in query analyzer_9_0_0.
- 168. Double click the folder from_438_to_820.
- 169. Click **Q_aca_prefs.sql** then click open. (6/16/14)
- 170. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 171. Click Execute.
- 172. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'There is already an object named 'aca_prefs' in the database.' is received, the table already exists. Continue to next step.

- 173. Click File.
- 174. Click Open.
- 175. Click File.
- 176. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 177. Double click the folder Run in query analyzer_9_0_0.

- 178. Double click the folder from_438_to_820.
- 179. Click *R_hccensus.sql* then click open.(7/28/14)
- 180. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 181. Click Execute.
- 182. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 183. Click File.
- 184. Click Open.
- 185. Click File.
- 186. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 187. Double click the folder Run in query analyzer_9_0_0.
- 188. Double click the folder from_438_to_820.
- 189. Click **S_Update_reportmr.sql** then click open.(6/20/14)
- 190. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 191. Click Execute.
- 192. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 193. Click File.
- 194. Click Open.
- 195. Click File.
- 196. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
- 197. Double click the folder Run in query analyzer_9_0_0.
- 198. Double click the folder from_438_to_820.
- 199. Click T_confirmation_sps.sql then click open.(7/2/14)
- 200. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 201. Click Execute.
- You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 203. Click File.
- 204. Click Open.
- 205. Click File.
- 206. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
- 207. Double click the folder Run in query analyzer_9_0_0.
- 208. Double click the folder from_438_to_820.
- 209. Click U_jobord_sp.sql then click open.(7/17/14)
- 210. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.

211. Click Execute.

212. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

Version 4.6.4 released queries

If users are on version 4.6.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click A_group_438_452.sql then click open. (10/22/14)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820.
- 19. Click S_Update_reportmr.sql then click open.(10/24/14)
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 27. Double click the folder Run in query analyzer_9_0_0.
- 28. Double click the folder from_438_to_820.
- 29. Click *T_confirmation_sps.sql* then click open.(*10/22/14*)

- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.
- 32. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 33. Click File.
- 34. Click Open.
- 35. Click File.
- 36. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 37. Double click the folder **Run in query analyzer_9_0_0**.
- 38. Double click the folder from_438_to_820.
- 39. Click V_add_emp_data.sql then click open.(9/16/14)
- 40. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 41. Click Execute.
- 42. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'There is already an object named 'add_emp_data' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

- 43. Click File.
- 44. Click Open.
- 45. Click File.
- 46. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 47. Double click the folder **Run in query analyzer_9_0_0**.
- 48. Double click the folder from_438_to_820.
- 49. Click *W_add_deduct_data.sql* then click open.(9/16/14)
- 50. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 51. Click Execute.
- 52. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.

If 'There is already an object named 'add_deduct_data' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

- 53. Click File.
- 54. Click Open.
- 55. Click File.
- 56. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 57. Double click the folder **Run in query analyzer_9_0_0**.
- 58. Double click the folder **from_438_to_820**.
- 59. Click **X_Function_isinvoice.sql** then click open.(10/10/14)

- 60. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 61. Click Execute.
- 62. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 63. Click File.
- 64. Click Open.
- 65. Click File.
- 66. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 67. Double click the folder **Run in query analyzer_9_0_0**.
- 68. Double click the folder from_438_to_820.
- 69. Click **Y_SPS_Invoice_Availability.sql** then click open.(10/22/14)
- 70. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 71. Click Execute.
- 72. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.
- 73. Click File.
- 74. Click Open.
- 75. Click File.
- 76. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 77. Double click the folder **Run in query analyzer_9_0_0**.
- 78. Double click the folder from_438_to_820.
- 79. Click Z_Transcode_ACA.sql then click open.(10/22/14)
- 80. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 81. Click Execute.
- 82. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 83. Click File.
- 84. Click Open.
- 85. Click File.
- 86. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 87. Double click the folder **Run in query analyzer_9_0_0**.
- 88. Double click the folder from_438_to_820.
- 89. Click ZA_ACA_indicators.sql then click open.(10/8/14)
- 90. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 91. Click Execute.

92. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'There is already an object named 'ACA_Indicator_codes' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

- 93. Click File.
- 94. Click Open.
- 95. Click File.
- 96. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 97. Double click the folder Run in query analyzer_9_0_0.
- 98. Double click the folder from_438_to_820.
- 99. Click ZB_alter_aca_depen.sql then click open.(10/9/14)
- 100. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 101. Click Execute.
- 102. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'Column names in each table must be unique. Column name 'ssn' in table 'aca_depen' is specified more than once ' is received, the table has already been altered. Other errors will follow this message. Continue to next step.

- 103. Click File.
- 104. Click Open.
- 105. Click File.
- 106. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
- 107. Double click the folder Run in query analyzer_9_0_0.
- 108. Double click the folder from_438_to_820.
- 109. Click ZC_indicator_inserts.sql then click open.(10/24/14)
- 110. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 111. Click Execute.
- 112. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 113. Click File.
- 114. Click Open.
- 115. Click File.
- 116. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 117. Double click the folder Run in query analyzer_9_0_0.
- 118. Double click the folder from_438_to_820.
- 119. Click ZD_ded_enrolled_SP.sql then click open.(10/20/14)
- 120. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 121. Click Execute.

122. You should see '*Command(s) completed successfully.*' and/or '(*X row(s) affected*)' show up in the message box.

Version 4.6.5 released queries

If users are on version 4.6.4 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder **from_438_to_820**.
- 9. Click *R_hccensus.sql* then click open.(12/22/15)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820.
- 19. Click **S_Update_reportmr.sql** then click open.(12/19/14)
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 27. Double click the folder **Run in query analyzer_9_0_0**.
- 28. Double click the folder **from_438_to_820**.
- 29. Click ZE_inserts_add_clientPDF_info.sql then click open.(12/7/14)
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.

- 31. Click Execute.
- 32. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 33. Click File.
- 34. Click Open.
- 35. Click File.
- 36. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 37. Double click the folder **Run in query analyzer_9_0_0**.
- 38. Double click the folder from_438_to_820.
- 39. Click **ZF_create_es_contr.sql** then click open.(12/12/14)
- 40. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
 If *'There is already an object named 'es_cont' in the database.'* is received, the table already exists. Other errors will follow this message. Continue to next step.
- 41. Click Execute.
- 42. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 43. Click File.
- 44. Click Open.
- 45. Click File.
- 46. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 47. Double click the folder **Run in query analyzer_9_0_0**.
- 48. Double click the folder **from_438_to_820**.
- 49. Click **ZG_sp_callback_cal.sql** then click open.(12/16/14)
- 50. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 51. Click Execute.
- 52. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.
- 53. Click File.
- 54. Click Open.
- 55. Click File.
- 56. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 57. Double click the folder Run in query analyzer_9_0_0.
- 58. Double click the folder **from_438_to_820**.
- 59. Click ZH_sp_lastempl.sql then click open.(12/21/14)
- 60. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 61. Click Execute.

- 62. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 63. Click File.
- 64. Click Open.
- 65. Click File.
- 66. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 67. Double click the folder **Run in query analyzer_9_0_0**.
- 68. Double click the folder **from_438_to_820**.
- 69. Click ZI_report_emp1a.sql then click open. (12/22/14)
- 70. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 71. Click Execute.
- 72. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

Version 4.6.8 released queries

If users are on version 4.6.5 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click **ZD_ded_enrolled_SP.sql** then click open.(1/7/15)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see '*Command(s) completed successfully*.' and/or '(*X row(s) affected*)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder **from_438_to_820**.
- 19. Click ZJ_sales_tax_view.sql then click open.(1/8/15)
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.

21. Click Execute.

22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 4.7.0 released queries

If users are on version 4.6.8 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click **Open**.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click *R_hccensus.sql* then click open.(1/11/15)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820.
- 19. Click **S_Update_reportmr.sql** then click open.(3/10/15)
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 27. Double click the folder Run in query analyzer_9_0_0.
- 28. Double click the folder from_438_to_820.
- 29. Click **Y_SPS_Invoice_Availability.sql** then click open.(1/13/15)

- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.
- 32. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 33. Click File.
- 34. Click Open.
- 35. Click File.
- 36. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 37. Double click the folder **Run in query analyzer_9_0_0**.
- 38. Double click the folder from_438_to_820.
- 39. Click ZJ_sales_tax_view.sql then click open.(3/11/15)
- 40. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 41. Click Execute.
- 42. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 43. Click File.
- 44. Click Open.
- 45. Click File.
- 46. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 47. Double click the folder **Run in query analyzer_9_0_0**.
- 48. Double click the folder from_438_to_820.
- 49. Click **ZK_Payroll_dd.sql** then click open.(2/11/15)
- 50. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 51. Click Execute.
- 52. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 53. Click File.
- 54. Click Open.
- 55. Click File.
- 56. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 57. Double click the folder **Run in query analyzer_9_0_0**.
- 58. Double click the folder from_438_to_820.
- 59. Click **ZL_directdeposit_index.sql** then click open.(2/10/15)
- 60. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.

61. Click Execute.

Index Queries run times may vary based on size of data.

62. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'The operation failed because an index or statistics with name 'DirectDepositCreator' already exists on table 'dbo.transactions_split' ' is received, the table already exists. Other errors will follow this message. Continue to next step

- 63. Click File.
- 64. Click Open.
- 65. Click File.
- 66. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 67. Double click the folder **Run in query analyzer_9_0_0**.
- 68. Double click the folder from_438_to_820.
- 69. Click **ZM_psd_branch.sql** then click open.(2/10/15)
- 70. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 71. Click Execute.
- 72. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'There is already an object named 'psd_branch' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step

- 73. Click File.
- 74. Click Open.
- 75. Click File.
- 76. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 77. Double click the folder Run in query analyzer_9_0_0.
- 78. Double click the folder from_438_to_820.
- 79. Click ZN_psd_master.sql then click open.(2/10/15)
- 80. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 81. Click Execute.
- 82. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'There is already an object named 'psd_master' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step

- 83. Click File.
- 84. Click Open.
- 85. Click File.
- 86. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 87. Double click the folder **Run in query analyzer_9_0_0**.
- 88. Double click the folder from_438_to_820.
- 89. Click **ZO_psd_maser_insert.sql** then click open.(2/9/15)
- 90. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.

91. Click Execute.

92. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'Violation of PRIMARY KEY constraint 'PK_PSD_master'. Cannot insert duplicate key in object 'dbo.psd_master'. The statement has been terminated.' is received, the note options already exists. Continue to next step.

- 93. Click File.
- 94. Click Open.
- 95. Click File.
- 96. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 97. Double click the folder **Run in query analyzer_9_0_0**.
- 98. Double click the folder from_438_to_820.
- 99. Click **ZP_resume_tables.sql** then click open.(4/13/15)
- 100. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 101. Click Execute.
- 102. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'There is already an object named 'ResSrcFIIter ' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step

- 103. Click File.
- 104. Click Open.
- 105. Click File.
- 106. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 107. Double click the folder Run in query analyzer_9_0_0.
- 108. Double click the folder from_438_to_820.
- 109. Click ZQ_Invoice_regPay_SP.sql then click open.(3/12/15)
- 110. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 111. Click Execute.
- 112. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.

Version 4.7.4 released queries

If users are on version 4.7.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).

- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click ZR_add_vs_aca1094c.sql then click open.(10/10/15)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'There is already an object named 'vs_aca1094c' in the database.' is received, the table already exists. Other errors will follow this message Run **ZZL_Alter_1095C.sql** before continuing to the next step

- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820.
- 19. Click ZS_add_vs_aca1095c.sql then click open.(9/4/15)
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'There is already an object named 'vs_aca1095c' in the database.' is received, the table already exists. Other errors will follow this message.

Run ZZL_Alter_1095C.sql before continuing to the next step

- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 27. Double click the folder **Run in query analyzer_9_0_0**.
- 28. Double click the folder **from_438_to_820**.
- 29. Click **ZT_alter_aca_depen.sql** then click open.(9/8/15)
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.
- 32. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'Column names in each table must be unique. Column name 'fname' in table 'aca_depen' is specified more than once.' is received, the table has already been altered. Other errors will follow this message. Continue to next step

33. Click File.

- 34. Click Open.
- 35. Click File.
- 36. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 37. Double click the folder **Run in query analyzer_9_0_0**.
- 38. Double click the folder **from_438_to_820**.
- 39. Click *ZU_alter_aca_plan.sql* then click open.(8/6/15)
- 40. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 41. Click Execute.
- 42. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'Column names in each table must be unique. Column name 'code2' in table 'aca_plans' is specified more than once.' is received, the table has already been altered. Other errors will follow this message. Continue to next step

- 43. Click File.
- 44. Click Open.
- 45. Click File.
- 46. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 47. Double click the folder **Run in query analyzer_9_0_0**.
- 48. Double click the folder from_438_to_820.
- 49. Click **ZV_Calculator_index.sql** then click open.(9/26/15)
- 50. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 51. Click Execute.

Index Queries run times may vary based on size of data.

52. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'The operation failed because an index or statistics with name 'sikvaccalc' already exists on table 'dbo.transactions_split' ' is received, the table already exists. Other errors will follow this message. Continue to next step

- 53. Click File.
- 54. Click Open.
- 55. Click File.
- 56. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 57. Double click the folder **Run in query analyzer_9_0_0**.
- 58. Double click the folder from_438_to_820.
- 59. Click ZW_Client_empl.sql then click open.(5/27/15)
- 60. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 61. Click Execute.
- 62. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

- 63. Click File.
- 64. Click Open.
- 65. Click File.
- 66. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 67. Double click the folder Run in query analyzer_9_0_0.
- 68. Double click the folder from_438_to_820.
- 69. Click **ZX_index.sql** then click open.(7/13/15)
- 70. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.

71. Click Execute.

Index Queries run times may vary based on size of data.

72. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'The operation failed because an index or statistics with name 'figvaca' already exists on table 'dbo.transactions_split' ' is received, the table already exists. Other errors will follow this message. Continue to next step

- 73. Click File.
- 74. Click Open.
- 75. Click File.
- 76. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 77. Double click the folder **Run in query analyzer_9_0_0**.
- 78. Double click the folder from_438_to_820.
- 79. Click **ZY_invoice_register_view.sql** then click open.(7/15/15)
- 80. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 81. Click Execute.
- 82. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 83. Click File.
- 84. Click Open.
- 85. Click File.
- 86. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 87. Double click the folder Run in query analyzer_9_0_0.
- 88. Double click the folder from_438_to_820.
- 89. Click **ZZ_jobordstat_sp.sql** then click open.(7/27/15)
- 90. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 91. Click Execute.
- 92. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 93. Click File.

- 94. Click Open.
- 95. Click File.
- 96. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 97. Double click the folder Run in query analyzer_9_0_0.
- 98. Double click the folder from_438_to_820.
- 99. Click ZZA_payroll_check_sp.sql then click open.(7/16/15)
- 100. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 101. Click Execute.
- 102. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 103. Click File.
- 104. Click Open.
- 105. Click File.
- 106. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 107. Double click the folder Run in query analyzer_9_0_0.
- 108. Double click the folder from_438_to_820.
- 109. Click ZZB_payroll_deduction_ap_sp.sql then click open. (10/01/15)
- 110. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 111. Click Execute.
- 112. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 113. Click File.
- 114. Click Open.
- 115. Click File.
- 116. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 117. Double click the folder Run in query analyzer_9_0_0.
- 118. Double click the folder from_438_to_820.
- 119. Click **ZZC_qualifying_trans_sp.sql** then click open.(7/29/15)
- 120. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 121. Click Execute.
- 122. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 123. Click File.
- 124. Click Open.
- 125. Click File.
- 126. Navigate to your system folder (i.e. c:\program files\coats\coats2000).

- 127. Double click the folder Run in query analyzer_9_0_0.
- 128. Double click the folder from_438_to_820.
- 129. Click ZZD_vs_alemember.sql then click open. (8/28/15)
- 130. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 131. Click Execute.
- 132. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'There is already an object named 'vs_alemember' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

- 133. Click File.
- 134. Click Open.
- 135. Click File.
- 136. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
- 137. Double click the folder Run in query analyzer_9_0_0.
- 138. Double click the folder from_438_to_820.
- 139. Click ZZE_worksites_update.sql then click open.(8/14/15)
- 140. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 141. Click Execute.
- 142. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 143. Click File.
- 144. Click Open.
- 145. Click File.
- 146. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 147. Double click the folder Run in query analyzer_9_0_0.
- 148. Double click the folder from_438_to_820.
- 149. Click ZZF_jo_delete_trigger.sql then click open.(10/16/15)
- 150. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 151. Click Execute.
- 152. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 153. Click File.
- 154. Click Open.
- 155. Click File.
- 156. Navigate to your system folder (i.e. c:\program files\coats\coats2000).
- 157. Double click the folder Run in query analyzer_9_0_0.
- 158. Double click the folder from_438_to_820.

- 159. Click **ZZG_jo_insert_trigger.sql** then click open.(10/6/15)
- 160. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 161. Click Execute.
- 162. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 163. Click File.
- 164. Click Open.
- 165. Click File.
- 166. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 167. Double click the folder **Run in query analyzer_9_0_0**.
- 168. Double click the folder from_438_to_820.
- 169. Click **ZZH_update_add_jo_info.sql** then click open.(10/6/15)
- 170. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 171. Click Execute.
- 172. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.

Version 4.8.0 released queries

If users are on version 4.7.4 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder **from_438_to_820**.
- 9. Click ZC_indicator_inserts.sql then click open.(12/21/15)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.

- 18. Double click the folder from_438_to_820.
- 19. Click ZZI_ alter_sov_education_parsing.sql then click open.(11/28/15)
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

If 'Column names in each table must be unique. Column name 'educlist ' in table 'sov_contact' is specified more than once.' is received, the column already exists. Other errors will follow this message. Continue to next step.

- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 27. Double click the folder **Run in query analyzer_9_0_0**.
- 28. Double click the folder from_438_to_820.
- 29. Click **ZZJ_update_education_parsing.sql** then click open.(*11/28/15*)
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.
- 32. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 5.0.0 released queries

If users are on version 4.8.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click **ZZM_report_payroll_one_employe_checks_sp.sql** then click open.(4/11/16)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.

- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820.
- 19. Click **ZZN_update_invoice_view_sp.sql** then click open.(3/16/16)
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 27. Double click the folder **Run in query analyzer_9_0_0**.
- 28. Double click the folder from_438_to_820.
- 29. Click ZZO_alter_aca_plan2.sql then click open.(3/7/16)
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.
- 32. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'Column names in each table must be unique. Column name 'default' in table 'dbo.aca_plans' is specified more than once.' is received, the column already exists. Other errors will follow this message. Continue to next step

- 33. Click File.
- 34. Click Open.
- 35. Click File.
- 36. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 37. Double click the folder **Run in query analyzer_9_0_0**.
- 38. Double click the folder from_438_to_820.
- 39. Click ZZP_alter_aca_depen2.sql then click open.(3/14/16)
- 40. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 41. Click Execute.
- 42. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.

If 'Column names in each table must be unique. Column name 'startdate' in table 'aca_depen' is specified more than once.' is received, the column already exists. Other errors will follow this message. Continue to next step.

43. Click File.

- 44. Click Open.
- 45. Click File.
- 46. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 47. Double click the folder **Run in query analyzer_9_0_0**.
- 48. Double click the folder **from_438_to_820**.
- 49. Click **ZZQ_update_vs_aca1095c2.sql** then click open.(3/14/16)
- 50. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 51. Click Execute.
- 52. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

If 'Column names in each table must be unique. Column name 'd1_1' in table 'vs_aca1095c' is specified more than once.' is received, the column already exists. Other errors will follow this message. Continue to next step.

- 53. Click File.
- 54. Click Open.
- 55. Click File.
- 56. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 57. Double click the folder **Run in query analyzer_9_0_0**.
- 58. Double click the folder from_438_to_820.
- 59. Click ZZR_update_contacts.sql then click open.(2/29/16)
- 60. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 61. Click Execute.
- 62. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.
- 63. Click File.
- 64. Click Open.
- 65. Click File.
- 66. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 67. Double click the folder **Run in query analyzer_9_0_0**.
- 68. Double click the folder from_438_to_820.
- 69. Click ZZS_create_vs_1095c_add.sql then click open.(3/14/16)
- 70. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 71. Click Execute.
- 72. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.

If 'There is already an object named 'vs_1095c_add' in the database.' is received, the table already exists. Other errors will follow this message. Continue to next step.

Version 6.0.0 released queries

If users are on version 5.0.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click ZC_indicator_inserts.sql then click open.(12/15/16)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 17. Double click the folder Run in query analyzer_9_0_0.
- 18. Double click the folder from_438_to_820.
- 19. Click ZH_sp_lastempl.sql then click open.(12/29/16)
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 27. Double click the folder Run in query analyzer_9_0_0.
- 28. Double click the folder from_438_to_820.
- 29. Click **ZZT_update_prdeduct_apname.sql** then click open.(8/29/16)
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.

- 32. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 33. Click File.
- 34. Click Open.
- 35. Click File.
- 36. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 37. Double click the folder **Run in query analyzer_9_0_0**.
- 38. Double click the folder from_438_to_820.
- 39. Click ZZU_joborder_rpt_sp.sql then click open.(12/29/16)
- 40. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 41. Click Execute.
- 42. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 43. Click File.
- 44. Click Open.
- 45. Click File.
- 46. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 47. Double click the folder **Run in query analyzer_9_0_0**.
- 48. Double click the folder from_438_to_820.
- 49. Click ZZV_assgend_sp_update.sql then click open.(7/17/16)
- 50. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 51. Click Execute.
- 52. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.

Version 6.0.1 released queries

If users are on version 6.0.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder **from_438_to_820**.
- 9. Click ZZW_Fed941byyear_stock_sp.sql then click open.(1/24/17)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.

- 11. Click Execute.
- 12. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box. Click **File**.
- 13. Click Open.
- 14. Click File.
- 15. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 16. Double click the folder **Run in query analyzer_9_0_0**.
- 17. Double click the folder from_438_to_820.
- 18. Click ZZX_Updated_Aged_SP.sql then click open.(3/10/17)
- 19. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 20. Click Execute.
- 21. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

Version 6.0.4 released queries

If users are on version 6.0.1 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click ZZY_SP_emp_pay_history.sql then click open.(6/22/17)
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see '*Command(s*) completed successfully.' and/or '(*X row(s) affected*)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder **from_438_to_820**.
- 19. Click ZZZ_SP_Emp_Pay_history_ytd.sql then click open.(6/22/17)
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.

- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 27. Double click the folder **Run in query analyzer_9_0_0**.
- 28. Double click the folder from_438_to_820.
- 29. Click ZZZA_SP_payroll_check.sql then click open.(6/22/17)
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.
- 32. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 33. Click File.
- 34. Click Open.
- 35. Click File.
- 36. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 37. Double click the folder Run in query analyzer_9_0_0.
- 38. Double click the folder from_438_to_820.
- 39. Click **ZZZB_Fed941byyear_sp.sql** then click open.(6/22/17)
- 40. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 41. Click Execute.
- 42. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.

Version 6.1.1 released queries

If users are on version 6.0.4 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820
- 9. Click **ZW_Client_empl.sql** then click open.

- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820
- 19. Click **ZZZB_Fed941byyear_sp.sql** then click open.
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 27. Double click the folder **Run in query analyzer_9_0_0**.
- 28. Double click the folder from_438_to_820
- 29. Click **ZZZC_SP_online_emp.sql** then click open.
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.
- 32. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 6.1.2 released queries

There are NO queries to run if you currently are running 6.1.2 from 1/22/2018.

Version 6.1.3 released queries

There are NO queries to run if you currently are running 6.1.3 from 3/07/2018.

Version 6.1.4 released queries

There are NO queries to run if you currently are running 6.1.4 from 3/20/2018.

Version 6.1.7 released queries

If users are on version 6.1.4 they can start here

1. From the SQL server, open Microsoft SQL Server Management Studio.

- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820
- 9. Click **S_Update_reportmr.sql** then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see '*Command(s)* completed successfully.' and/or '(*X* row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820
- 19. Click **ZZZD_update_Employee_Birthday_Labels.sql** then click open.
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 27. Double click the folder **Run in query analyzer_9_0_0**.
- 28. Double click the folder from_438_to_820
- 29. Click *ZZZE_Update_mail_employee_view.sql* then click open.
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.
- 32. You should see '*Command(s) completed successfully*.' and/or '(*X row(s) affected*)' show up in the message box.
- 33. Click File.
- 34. Click Open.

- 35. Click File.
- 36. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 37. Double click the folder **Run in query analyzer_9_0_0**.
- 38. Double click the folder from_438_to_820
- 39. Click *ZZZF_weeklytimesheet.sql* then click open.
- 40. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 41. Click Execute.
- 42. You should see '*Command(s) completed successfully*.' and/or '(*X row(s) affected*)' show up in the message box.

Version 7.0.0 released queries

There are NO queries to run if you currently are running 6.1.7 from 11/02/2018.

Version 7.0.9 released queries

There are NO queries to run if you currently are running 7.0.0 from 12/27/2018.

Version 7.1.0 released queries

There are NO queries to run if you currently are running 7.0.9 from 03/01/2019

Version 7.1.4 released queries

There are NO queries to run if you currently are running 7.1.0 from 03/25/2019

Version 7.2.0 released queries

There are NO queries to run if you currently are running 7.1.4 from 04/46/2019

Version 7.8.0 released queries

If users are on version 7.2.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820
- 9. Click **S_Update_reportmr.sql** then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 7.11.0 released queries

If users are on version 7.8.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click **Open**.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820
- 9. Click **ZZZG_update_prdedtxt.sql** then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820
- 19. Click **ZZZH_create_empfedw4.sql** then click open.
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 7.11.2 released queries

There are NO queries to run if you currently are running 7.11.0 from 12/27/2019

Version 7.11.3 released queries

If users are on version 7.11.2 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).

- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820
- 9. Click **ZW_Client_empl.sql** then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 7.11.4 released queries

If users are on version 7.11.3 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820
- 9. Click **S_Update_reportmr.sql** then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820
- 19. Click **ZW_Client_empl.sql** then click open.
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 7.11.5 released queries

There are NO queries to run if you currently are running 7.11.4 from 01/31/2020

Version 7.15.0 released queries

If users are on version 7.11.5 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820
- 9. Click **S_Update_reportmr.sql** then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820
- 19. Click ZZZH_Create_f941table.sql then click open.
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 27. Double click the folder Run in query analyzer_9_0_0.
- 28. Double click the folder from_438_to_820
- 29. Click **ZZZJ_insert_f941table.sql** then click open.
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.

32. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 7.15.5 released queries

If users are on version 7.15.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820
- 9. Click **S_Update_reportmr.sql** then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 17. Double click the folder Run in query analyzer_7_15_5.
- 18. Click *sp_delete_cur_ck_all_dc.sql* then click open.
- 19. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 20. Click Execute.
- 21. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 22. Click File.
- 23. Click Open.
- 24. Click File.
- 25. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 26. Double click the folder Run in query analyzer_7_15_5.
- 27. Click *sp_delete_cur_ck_dc.sql* then click open.
- 28. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 29. Click Execute.

- 30. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 31. Click File.
- 32. Click Open.
- 33. Click File.
- 34. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 35. Double click the folder **Run in query analyzer_9_0_0**.
- 36. Double click the folder from_438_to_820
- 37. Click *ZZZC_SP_online_emp.sql* then click open.
- 38. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 39. Click Execute.
- 40. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 41. Click File.
- 42. Click Open.
- 43. Click File.
- 44. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 45. Double click the folder Run in query analyzer_7_15_5.
- 46. Click ZZZH_Create_f941table.sql then click open.
- 47. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 48. Click Execute.
- 49. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 50. Click File.
- 51. Click Open.
- 52. Click File.
- 53. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 54. Double click the folder **Run in query analyzer_7_15_5**.
- 55. Click **ZZZJ_insert_f941table.sql** then click open.
- 56. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 57. Click Execute.
- 58. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 8.0.0 released queries

If users are on version 7.15.5 they can start here

1. From the SQL server, open Microsoft SQL Server Management Studio.

- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click *ZZZB_Fed941byyear_sp.sql* then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 8.1.0 released queries

If users are on version 8.0.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click **S_Update_reportmr.sql** then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 8.2.0 released queries

If users are on version 8.1.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.

- 8. Double click the folder from_438_to_820.
- 9. Click *ZC_indicator_inserts.sql* then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.
- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820.
- 19. Click *ZZH_state_tax_formula_AR.sql* then click open.
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 8.3.0 released queries

There are NO queries to run if you currently are running 8.2.0 from 02/21/2021

Version 8.4.0 released queries

If users are on version 8.2.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Double click the folder from_438_to_820.
- 9. Click **S_Update_reportmr.sql** then click open.
- 10. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 11. Click Execute.
- 12. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 13. Click File.
- 14. Click Open.

- 15. Click File.
- 16. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 17. Double click the folder **Run in query analyzer_9_0_0**.
- 18. Double click the folder from_438_to_820.
- 19. Click **ZW_Client_empl.sql** then click open.
- 20. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 21. Click Execute.
- 22. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 23. Click File.
- 24. Click Open.
- 25. Click File.
- 26. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 27. Double click the folder Run in query analyzer_9_0_0.
- 28. Double click the folder from_438_to_820.
- 29. Click ZZZH_State_tax_formula.sql then click open.
- 30. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 31. Click Execute.
- 32. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 9.0.0 released queries

If users are on version 8.4.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats\coats2000*).
- 7. Double click the folder **Run in query analyzer_9_0_0**.
- 8. Click **ZZZI_local_struct_adj.sql** then click open.
- 9. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 10. Click Execute.
- 11. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 9.0.1 released queries

There are NO queries to run if you currently are running 9.0.0

Version 10.0.0 released queries

There are NO queries to run if you currently are running 9.0.1

Version 10.5.0 released queries

There are NO queries to run if you currently are running 10.0.0

Version 11.0.0 released queries

There are NO queries to run if you currently are running 10.5.0

Version 12.0.0 released queries

There are NO queries to run if you currently are running 11.0.0

Version 12.5.0 released queries

There are NO queries to run if you currently are running 12.0.0

Version 13.0.0 released queries

There are NO queries to run if you currently are running 12.5.0

Version 13.5.0 released queries

If users are on version 13.0.0 they can start here

- 1. From the SQL server, open Microsoft SQL Server Management Studio.
- 2. Log into Server Instance.
- 3. Click File.
- 4. Click Open.
- 5. Click File.
- 6. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 7. Double click the folder **Run in query analyzer_13_5_0**.
- 8. Click **S_Update_reportmr.sql** then click open.
- 9. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 10. Click Execute.
- 11. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 12. Click File.
- 13. Click Open.
- 14. Click File.
- 15. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 16. Double click the folder Run in query analyzer_13_5_0.
- 17. Click *T_confirmation_sps.sql* then click open.
- 18. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 19. Click Execute.

- 20. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.
- 21. Click File.
- 22. Click Open.
- 23. Click File.
- 24. Navigate to your system folder (*i.e. c:\program files\coats2000*).
- 25. Double click the folder Run in query analyzer_13_5_0.
- 26. Click **ZZZJ_State_tax_formula_OH_sq.sql** then click open.
- 27. Change the default database showing at the top of the screen from *master* to *coats2000* by clicking on the down arrow and selecting *coats2000*.
- 28. Click Execute.
- 29. You should see 'Command(s) completed successfully.' and/or '(X row(s) affected)' show up in the message box.

Version 14.0.0 released queries

There are NO queries to run if you currently are running 13.5.0

Version 15.0.0 released queries

There are NO queries to run if you currently are running 14.0.0

Version 15.0.1 released queries

There are NO queries to run if you currently are running 15.0.0

- 30. If the agency has multiple instances disconnect from the current instance and connect to the next instance. Repeat above procedures.
- 31. After all instances have been updated, 'X' out SQL Server Management Studio

Be SURE to UPDATE the Application on <u>ALL COMPUTERS</u> running COATS <u>LOCALLY</u> before logging into COATS
